

## **Fysioterapeuten nr. 5 2007**

### **Referenceliste til artiklen Billeddiagnostisk inden for fysioterapi**

1. Bureau NJ, Beauchamp M, Cardinal E, Brassard P. Dynamic sonography evaluation of shoulder impingement syndrome. *AJR Am J Roentgenol* 2006; 187(1):216-220.
2. Ostergaard M, Szkudlarek M. Ultrasonography: a valid method for assessing rheumatoid arthritis? *Arthritis Rheum* 2005; 52(3):681-686.
3. Wakefield RJ, Brown AK, O'connor PJ, Emery P. Power Doppler sonography: improving disease activity assessment in inflammatory musculoskeletal disease. *Arthritis Rheum* 2003; 48(2):285-288.
4. Egeblad H. Ultralyd,apparat,metode. *Ekkokardiografi*. 2001: 14-43.
5. Geneser F. Inflammation. *Histologi*. Danmark: Munksgaard, 1999: 233-236.
6. Terslev L, Torp-Pedersen S, Qvistgaard E, von der RP, Bliddal H. Doppler ultrasound findings in healthy wrists and finger joints. *Ann Rheum Dis* 2004; 63(6):644-648.
7. Hides J A, Richardson C A, Jull G A. Use of real-time ultrasound imaging for feedback in rehabilitation. *Manual therapy* 1998; 3(3):125-131.
8. Hides JA, Stokes MJ, Saide M, Jull GA, Cooper DH. Evidence of lumbar multifidus muscle wasting ipsilateral to symptoms in patients with acute/subacute low back pain. *Spine* 1994; 19(2):165-172.
9. Bo K, Sherburn M, Allen T. Transabdominal ultrasound measurement of pelvic floor muscle activity when activated directly or via a transversus abdominis muscle contraction. *Neurourol Urodyn* 2003; 22(6):582-588.
10. Hides JA, Richardson CA, Jull GA. Multifidus muscle recovery is not automatic after resolution of acute, first-episode low back pain. *Spine* 1996; 21(23):2763-2769.
11. Sherburn M, Murphy CA, Carroll S, Allen TJ, Galea MP. Investigation of transabdominal real-time ultrasound to visualise the muscles of the pelvic floor. *Aust J Physiother* 2005; 51(3):167-170.
12. Juul-Kristensen B, Bojsen-Moller F, Holst E, Ekdahl C. Comparison of muscle sizes and moment arms of two rotator cuff muscles measured by ultrasonography and magnetic resonance imaging. *Eur J Ultrasound* 2000; 11(3):161-173.
13. Stokes M, Rankin G, Newham DJ. Ultrasound imaging of lumbar multifidus muscle: normal reference ranges for measurements and practical guidance on the technique. *Man Ther* 2005; 10(2):116-126.
14. Rankin G, Stokes M, Newham DJ. Size and shape of the posterior neck muscles measured by ultrasound imaging: normal values in males and females of different ages. *Man Ther* 2005; 10(2):108-115.
15. Frawley HC, Galea MP, Phillips BA, Sherburn M, Bo K. Effect of test position on pelvic floor muscle assessment. *Int Urogynecol J Pelvic Floor Dysfunct* 2006; 17(4):365-371.
16. van Holsbeeck M T, Introcaso J H. Physical principles of ultrasound imaging. *Musculoskeletal Ultrasound*. 2001: 1-7.
17. Kane D, Balint PV, Sturrock R, Grassi W. Musculoskeletal ultrasound--a state of the art review in rheumatology. Part 1: Current controversies and issues in the development of musculoskeletal ultrasound in rheumatology. *Rheumatology (Oxford)* 2004; 43(7):823-828.
18. Bjordal J M, Johnson M I, Couppe C. Biophysical properties of ultrasound. *Clinical Electrotherapy*. Kristiansand: Høyskoleforlaget Grafisk Produksjon, 2001: 118-123.